

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE		PAGE OF PAGES	
2. AMENDMENT/MODIFICATION NO.		3. EFFECTIVE DATE		4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO. <i>(If applicable)</i>	
6. ISSUED BY		CODE		7. ADMINISTERED BY <i>(If other than Item 6)</i>		CODE	
8. NAME AND ADDRESS OF CONTRACTOR <i>(No., street, county, State and ZIP Code)</i>				(X)		9A. AMENDMENT OF SOLICITATION NO.	
						9B. DATED <i>(SEE ITEM 11)</i>	
						10A. MODIFICATION OF CONTRACT/ORDER NO.	
						10B. DATED <i>(SEE ITEM 11)</i>	
CODE		FACILITY CODE					

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers

☐ is extended, ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment your desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA *(If required)*

**13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS.
IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: <i>(Specify authority)</i> THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES <i>(such as changes in paying office, appropriation date, etc.)</i> SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER <i>(Specify type of modification and authority)</i>

E. IMPORTANT: Contractor ☐ is not, ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION <i>(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)</i>			
15A. NAME AND TITLE OF SIGNER <i>(Type or print)</i>		16A. NAME AND TITLE OF CONTRACTING OFFICER <i>(Type or print)</i>	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
<i>(Signature of person authorized to sign)</i>		<i>(Signature of Contracting Officer)</i>	

Item 14. Continued.

CHANGES TO PROPOSAL RECEIPT DATE

1. Standard Form 1442, First Page, Item No. 13.A.- In the second line, change the proposal receipt date from "1 June 2001, 4 p.m." to "6 June 2001, 4 p.m.".

CHANGES TO PRICE PROPOSAL SCHEDULE

2. Replace the Price Proposal Schedule, pages 00010-3 through 00010-9, with the accompanying new Price Proposal Schedule, bearing the notation "ACCOMPANYING AMENDMENT NO. 0009 TO SOLICITATION NO. DACA63-01-R-0002."

CHANGES TO SECTION 00100 INSTRUCTIONS TO BIDDERS

3. Section 00100, page 00100-2.- Replace ESTIMATED CONSTRUCTION COST paragraph with the following new paragraph:

ESTIMATED CONSTRUCTION COST

"The estimated cost of the proposed construction is between \$10,000,000 and \$25,000,000"

CHANGES TO PROPOSAL REQUIREMENTS DOCUMENTS

4. Replacement Sections - Replace the following sections with the accompanying new sections of the same number and title, bearing the footer notation "DACA63-01-R-0002, Amendment 0009:"

00110 PROPOSAL SUBMISSION REQUIREMENTS AND INSTRUCTIONS
00120 PROPOSAL EVALUATION AND CONTRACT AWARD

CHANGES TO SECTION 00700 CONTRACT CLAUSES

5. At the end of Section 00700 (Page 00700-113) add the following two clauses:

"52.217-7 Option for Increased Quantity--Separately Priced Line Item. (Mar 1989)

The Government may require the delivery of the numbered line item, identified in the Schedule as an option item, in the quantity and at the price stated in the Schedule. The Contracting Officer may exercise the option by written notice to the Contractor within [insert in the clause the period of time in which the Contracting Officer has to exercise the option]. Delivery of added items shall continue at the same rate that like items are called for under the contract, unless the parties otherwise agree.

(End of clause) "

“52.219-4 Notice of Price Evaluation Preference for HUBZone Small Business Concerns. (Jan 1999)

(a) *Definition.* "HUBZone small business concern," as used in this clause, means a small business concern that appears on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration.

(b) *Evaluation preference.* (1) Offers will be evaluated by adding a factor of 10 percent to the price of all offers, except--

(i) Offers from HUBZone small business concerns that have not waived the evaluation preference;

(ii) Otherwise successful offers from small business concerns;

(iii) Otherwise successful offers of eligible products under the Trade Agreements Act when the dollar threshold for application of the Act is exceeded (see 25.402 of the Federal Acquisition Regulation (FAR)); and

(iv) Otherwise successful offers where application of the factor would be inconsistent with a Memorandum of Understanding or other international agreement with a foreign government.

(2) The factor of 10 percent shall be applied on a line item basis or to any group of items on which award may be made. Other evaluation factors described in the solicitation shall be applied before application of the factor.

(3) A concern that is both a HUBZone small business concern and a small disadvantaged business concern will receive the benefit of both the HUBZone small business price evaluation preference and the small disadvantaged business price evaluation adjustment (see FAR clause 52.219-23). Each applicable price evaluation preference or adjustment shall be calculated independently against an offeror's base offer. These individual preference amounts shall be added together to arrive at the total evaluated price for that offer.

(c) *Waiver of evaluation preference.* A HUBZone small business concern may elect to waive the evaluation preference, in which case the factor will be added to its offer for evaluation purposes. The agreements in paragraph (d) of this clause do not apply if the offeror has waived the evaluation preference.

* Offeror elects to waive the evaluation preference.

(d) *Agreement.* A HUBZone small business concern agrees that in the performance of the contract, in the case of a contract for--

(1) Services (except construction), at least 50 percent of the cost of personnel for contract performance will be spent for employees of the concern or employees of other HUBZone small business concerns;

(2) Supplies (other than procurement from a nonmanufacturer of such supplies), at least 50 percent of the cost of manufacturing, excluding the cost of materials, will be performed by the concern or other HUBZone small business concerns;

(3) General construction, at least 15 percent of the cost of the contract performance incurred for personnel will be spent on the concern's employees or the employees of other HUBZone small business concerns; or

(4) Construction by special trade contractors, at least 25 percent of the cost of the contract performance incurred for personnel will be spent on the concern's employees or the employees of other HUBZone small business concerns.

(e) A HUBZone joint venture agrees that in the performance of the contract, the applicable percentage specified in paragraph (d) of this clause will be performed by the HUBZone small business participant or participants.

(f) A HUBZone small business concern nonmanufacturer agrees to furnish in performing this contract only end items manufactured or produced by HUBZone small business manufacturer concerns. This paragraph does not apply in connection with construction or service contracts.

(End of clause) “

CHANGES TO THE SPECIFICATIONS

6. Replacement Sections - Replace the following section with the accompanying new sections of the same number and title, bearing the footer notation "ACCOMPANYING AMENDMENT NO. 0009 TO SOLICITATION NO. DACA63-01-R-0002:"

01000 DESIGN AND CONSTRUCTION SCHEDULE

END OF AMENDMENT

ACCOMPANYING AMENDMENT NO. 0009 TO SOLICITATION NO. DACA63-01-R-0002

RFP, Design/Build, FY 01 Sgt Maj Academy Family Housing Replacement (Title)
Fort Bliss, Texas (Location)

Solicitation No. DACA63-01-R-0002

PRICE PROPOSAL SCHEDULE

(To be attached to SF 1442)

BASE BID: All work required by the plans and specifications exclusive of work required by Option Bid Items.

Item No.	Description	Quantity	Unit	Unit Price	Amount
0001	Total cost for complete design and construction of FY01 Family Housing Units (64 units, Aero-Vista Area), and all site improvements within the Building 1500mm lines, except for separately price bid items	Job	Sum	***	\$ _____
0002	Total cost for Construction of all site improvements (outside the Building 1500 mm line) for 64 Family Housing Units, Aero-Vista Area, including grading, paving, utilities, storm drainage system, curbs and gutters, sidewalks, recreation facilities, tot lots, bus stop shelters, bike paths, landscaping, irrigation, exterior lighting, fencing, all other work not separately listed.	Job	Sum	***	\$ _____
0003	Total cost for Hazardous Material Abatement of 64 Family Housing Units, Biggs Airfield, Aero-Vista Area	Job	Sum	***	\$ _____

ACCOMPANYING AMENDMENT NO. 0009 TO SOLICITATION NO. DACA63-01-R-0002

RFP, Design/Build, FY 01 Sgt Maj Academy Family Housing Replacement (Title)
Fort Bliss, Texas (Location)

Solicitation No. DACA63-01-R-0002

PRICE PROPOSAL SCHEDULE (cont)

Item No.	Description	Quantity	Unit	Unit Price	Amount
0004	Total cost for Demolition 64 Family Housing Units, Biggs Airfield, Aero-Vista Area, including site demolition, paving, utilities, storm drainage system, curbs and gutters, sidewalks, recreation facilities, tot lots, bus stop shelters, bike paths, landscaping (except trees), irrigation, exterior lighting, fencing, grading, existing rock fence at West and South boundary of area and all other work not separately listed	Job	Sum	***	\$ _____
0005	(AM#2) _____	_____	_____	***	*****
0006	<u>(AM#7) Total cost for Demolition of transite pipe sewer laterals on east side of Luke Street</u>	<u>878</u>	<u>m</u>	<u>***</u>	<u>\$ _____</u>
0007 (AM#7)	Final Record Drawings	Sum	Job	***	\$ <u>38,000.00</u>
					TOTAL BASE BID \$ _____

ACCOMPANYING AMENDMENT NO. 0009 TO SOLICITATION NO. DACA63-01-R-0002

RFP, Design/Build, FY 01 Sgt Maj Academy Family Housing Replacement (Title)
Fort Bliss, Texas (Location)

Solicitation No. DACA63-01-R-0002

PRICE PROPOSAL SCHEDULE (cont)

OPTION NO. 1: Additional cost for all work required by the plans and specifications.

Item No.	Description	Quantity	Unit	Price	Unit Amount
<u>0008</u> <u>(AM#7)</u>	Total cost for complete design and construction of FY02 Family Housing Units (76 units, Aero-Vista Area), and all site improvements within the Building 1500mm lines, except for separately price bid items				
		Job	Sum	***	\$_____
<u>0009</u> <u>(AM#7)</u>	Total cost for Construction of all site improvements (outside the Building 1500 mm line) for 76 Family Housing Units, Aero-Vista Area, including grading, paving, utilities, storm drainage system, curbs and gutters, sidewalks, recreation facilities, tot lots, bus stop shelters, bike paths, landscaping, irrigation, exterior lighting, fencing, all other work not separately listed				
		Job	Sum	***	\$_____
<u>00010</u> <u>(AM#6)</u> <u>(AM#7)</u>	Construct new 1 830 mm <u>wrought iron fence on north side</u> and 1 830 mm <u>rock fence on west and south sides</u>				
		Job	Sum	***	\$_____
<u>0011</u> <u>(AM#7)</u>	Total cost for Hazardous Material Abatement of 86 Family Housing Units, Biggs Airfield, Aero-Vista Area				
		Job	Sum	***	\$_____

ACCOMPANYING AMENDMENT NO. 0009 TO SOLICITATION NO. DACA63-01-R-0002

RFP, Design/Build, FY 01 Sgt Maj Academy Family Housing Replacement (Title)
Fort Bliss, Texas (Location)

Solicitation No. DACA63-01-R-0002

PRICE PROPOSAL SCHEDULE (cont)

Item No.	Description	Quantity	Unit	Unit Price	Amount
0012	Total cost for				
(AM#7)	Demolition 86 Family Housing Units, Biggs Airfield, Aero-Vista Area, including site demolition, paving, utilities, storm drainage system, curbs and gutters, sidewalks, recreation facilities, tot lots, bus stop shelters, bike paths, landscaping (except trees), irrigation, exterior lighting, fencing, grading, and all other work not separately listed	Job	Sum	***	\$ _____
0013	<u>(AM#7) Total cost for Demolition of transite pipe sewer laterals on east side of Luke Street</u>	<u>1,180</u>	<u>m</u>	<u>***</u>	<u>\$ _____</u>

TOTAL OPTION NO. 1 \$ _____

OPTION NO. 2: Additional cost for all work required by the plans and specifications.

0014	Total cost for				
(AM#7)	Hazardous Material Abatement of 24 Family Housing Units, Biggs Airfield, Aero-Vista Area	Job	Sum	***	\$ _____
0015	Total cost for Demolition				
(AM#7)	of an additional 24 Family Housing Units, Biggs Airfield, Aero-Vista Area, including site demolition, paving, utilities, storm drainage system, curbs and gutters, sidewalks, recreation facilities, tot lots, bus stop shelters, bike paths, landscaping (except trees),				

ACCOMPANYING AMENDMENT NO. 0009 TO SOLICITATION NO. DACA63-01-R-0002

RFP, Design/Build, FY 01 Sgt Maj Academy Family Housing Replacement (Title)
Fort Bliss, Texas (Location)

Solicitation No. DACA63-01-R-0002

irrigation, exterior lighting, fencing,
grading, and all other work not
separately listed

Job Sum *** \$_____

0016 (AM#7) Total cost for Demolition
of transite pipe sewer laterals
on east side of Luke Street

329 m *** \$_____

TOTAL OPTION NO. 2

\$_____

PRICE PROPOSAL SCHEDULE (cont)

0017 OPTION NO. 3: All work required by the plans and specifications to replace the main access
(AM#7) road located in front of Ben Milan Elementary School. See Section 01001 STATEMENT OF
WORK, paragraph 1a(4) Special utilities and supplemental construction.

Job Sum *** \$_____

TOTAL COST (BASE BID + OPTIONS NO. 1 , NO. 2, and NO. 3) \$_____

PROJECT COMPLETION TIME:

0018 Completion Time for all work (NOT to exceed the maximum time stated in Section 01000
(AM#7) DESIGN AND CONSTRUCTION SCHEDULE)

BASE BID PROJECT COMPLETION TIME: _____ Calendar days from NTP

OPTION NO. 1 PROJECT COMPLETION TIME: _____ Calendar days **(AM#2) after
completion of the Base Bid**

(AM#2) _____

(AM#2) _____

**(AM#2) Completion times for Options No. 2 and 3 are stated in Section 01000 DESIGN AND
CONSTRUCTION SCHEDULE.**

ACCOMPANYING AMENDMENT NO. 0009 TO SOLICITATION NO. DACA63-01-R-0002

RFP, Design/Build, FY 01 Sgt Maj Academy Family Housing Replacement (Title)
Fort Bliss, Texas (Location)

Solicitation No. DACA63-01-R-0002

PRICE PROPOSAL SCHEDULE (cont)

NOTES:

1. ARITHMETIC DISCREPANCIES (EFARS 14.407-2)

(a) For the purpose of initial evaluation of bids, the following will be utilized in resolving arithmetic discrepancies found on the face of the bidding schedule as submitted by bidders:

- (1) Obviously misplaced decimal points will be corrected;
- (2) In case of discrepancy between unit price and extended price, the unit price will govern;
- (3) Apparent errors in extension of unit prices will be corrected; and
- (4) Apparent errors in addition of lump-sum and extended prices will be corrected.

(b) For the purpose of bid evaluation, the Government will proceed on the assumption that the bidder intends his bid to be evaluated on the basis of the unit prices, the totals arrived at by resolution of arithmetic discrepancies as provided above and the bid will be so reflected on the abstract of bids.

(c) These correction procedures shall not be used to resolve any ambiguity concerning which bid is low.

2. If a modification to a bid based on unit prices is submitted, which provides for a lump sum adjustment to the total estimated cost, the application of the lump sum adjustment to each unit price in the bid schedule must be stated. If it is not stated, the bidder agrees that the lump sum adjustment shall be applied on a pro rata basis to every unit price in the bid schedule.

3. Bidders must bid on all items.

4. Failure to insert prices for each item in the Bidding Schedule may cause the proposal to be rejected.

NOTES (cont):

5. Costs attributable to Division 01 - General Requirements are assumed to be prorated among bid items listed.

6. Responders are advised that this requirement may be delayed, cancelled or revised at any time during the solicitation, selection, evaluation, negotiation and/or final award process based on decisions related to DOD changes in force structure and disposition of the Armed Forces.

ACCOMPANYING AMENDMENT NO. 0009 TO SOLICITATION NO. DACA63-01-R-0002

RFP, Design/Build, FY 01 Sgt Maj Academy Family Housing Replacement (Title)
Fort Bliss, Texas (Location)

Solicitation No. DACA63-01-R-0002

PRICE PROPOSAL SCHEDULE (cont)

NOTES (cont):

7. For the purpose of this solicitation, the word "item" shall be considered to mean "schedule" as used in Provision 52.236-28 PREPARATION OF PROPOSALS – CONSTRUCTION (OCT 1997), in Section 00100 INSTRUCTIONS, CONDITIONS, AND NOTICES TO OFFERORS, excluding additives, deductives, or optional items.

8. The Army will procure this housing through a design and cost competition in accordance with the provisions set forth in this Request for Proposals (RFP). When a contract is awarded, it will be a "Firm Fixed Price Contract."

9. The Congress, in authorizing and funding this contract, has established certain cost limitations for the project. The current authorization for the complete design and construction of this project is **(AM#9) \$20,868,000**. Proposals that exceed this funding limit after exercising any options may be rejected. Submission of desirable alternative features exceeding minimum requirements may be considered as long as award can be made within the established funds.

10. Any proposal which is materially unbalanced as to prices for the Base Schedule may be rejected. An unbalanced proposal is one which is based on prices significantly less than the cost for some work and prices which are significantly overstated for other work and can also exist where only overpricing or underpricing exists.

11. EVALUATION OF OPTIONS (JUL 1990) (FAR 52.217-5)

Except when it is determined in accordance with FAR 17.206(b) not to be in the Government's best interests, the Government will evaluate offers for award purposes by adding the total price for all options to the total price for the basic requirement. Evaluation of options will not obligate the Government to exercise the option(s).

12. The Government reserves the right to exercise the option(s) either singularly or in any combination for up to 180 calendar days after award of the Base Bid without an increase in the Offeror's Bid Price.

13. **(AM#7) ABBREVIATIONS**

For the purpose of this solicitation, the units of measure are represented as follows:

a. m (length in meters)

END OF PROPOSAL SCHEDULE

SECTION 00110
PROPOSAL SUBMISSION REQUIREMENTS AND INSTRUCTIONS

1. PROPOSAL SUBMISSION INSTRUCTIONS.

a. **General.** Inasmuch as the technical proposal will describe the capability of the offeror to perform any resultant contract, it should be specific and complete in every detail. The proposal should be prepared simply and economically, providing straight-forward, concise delineation of capabilities to perform satisfactorily the contract being sought. The proposal should therefore be practical, legible, clear and coherent.

b. **Format of Technical Proposals.** In order that the evaluation may be accomplished strictly on the merit of the material submitted, no dollar amounts for the proposed work are to be included in the technical proposal. In order that the technical evaluation may be accomplished efficiently, the technical evaluation criteria listed below in this section are to be addressed in order. If supplemental information relative to the criteria is included in another part of the technical proposal, its location must be identified. **WARNING:** The proposals are evaluated in direct correspondence to the technical evaluation criteria which are included in Section 00120. It is in the best interest of the offerors to format the technical proposal in the order of the technical evaluation criteria. If the offeror fails to provide information relating to the criteria or locates the information in another part of the proposal without providing any cross references, the offeror runs the risk of having their proposal receive a lower evaluation by the Government evaluators who were not able to locate the appropriate information.

c. **The technical proposal shall contain:**

- (1) **Title Page**, including the title of the solicitation, solicitation number, name, and date of the submittal.
- (2) **Table of Contents**, including a list of tables, drawings, maps or exhibits.
- (3) **Compliance Statement:** The offeror is required to certify that all items submitted in the technical proposal comply with the RFP requirements and any differences, deviations or exceptions must be stated and explained. Offerors are required to complete the statement and submit it with their technical proposal. Even if there are no differences, deviations or exceptions, the offeror must submit the Compliance Statement and state that none exist.

Statement of Compliance:

This proposer hereby certifies that all items submitted in this proposal and final design documents (after contract award) comply with the solicitation requirements. The criteria specified in Solicitation No. **DACA63-01-R-0002** are binding contract criteria and in case of any conflict after award, between **DACA63-01-R-0002** and the contractor's proposal, the solicitation criteria shall govern unless there is a written and signed agreement between the contractor and the Government waiving a specific requirement. Should this proposal result in the award of a contract, this statement will be included on each sheet of drawings and on the cover of the specifications.

d. **Exceptions** to the contractual terms and conditions of the solicitation (e.g., standard company terms and conditions) **MUST NOT** be included in the proposal.

e. **The technical proposal shall not** include any cost information. The technical and cost proposals shall be submitted as two separate documents.

2. PROPOSAL REQUIREMENTS:

a. **Who May Submit.**

(1) Proposals may be submitted by: firms formally organized as design/build entities, or by design firms and construction contractors that have associated specifically for this project. In the latter case, a single design firm or construction contractor may offer more than one proposal by entering into more than one such association. For the purpose of this solicitation, no distinction is made between formally organized design/build entities and project-specific design/build associations. Both are referred to as the design/build offeror, (or simply "offeror"), or the design/build contractor, (or simply "Contractor"), after award of a contract.

(2) Any legally organized offeror may submit a proposal, provided that the offeror, or offeror's subcontractor, has on its permanent staff professional architects and engineers registered in the appropriate technical disciplines and provided that the requirements specified in the solicitation are met. All designs must be accomplished under the direct supervision of appropriately licensed professionals.

b. **General Requirements.**

(1) In order to effectively and equitably evaluate all proposals, the Contracting Officer must receive information sufficiently detailed to clearly indicate the materials, equipment, methods, functions, and schedules proposed.

(2) In addition to the design documents addressed below, proposals must contain financial terms and schedules for design and construction, a management plan, background information regarding the offerors' qualifications, and the representations and certifications. Specific requirements are described below.

c. **Size of Printed Matter Submissions.**

(1) Written materials: Size A4 [or 8-1/2" x 11"] format.

(2) Drawing sheets: See f (1) below. Drawing sheets will be drawn and reproduced.

d. **Where to Submit.** Offerors shall submit their proposal packages to **Fort Worth District Corps of Engineers, Attention: CESWF-CT-C (Zimmer)** at the address shown in Block 7 of Standard Form 1442.

e. **Submission Deadline.** Proposals shall be received by the **Fort Worth District Corps of Engineers** no later than the time and date specified in Block 13 of Standard Form 1442.

f. **Proposal Requirements and Submission Format.** The proposals sought by this solicitation shall contain four categories of submittal information as follows:

(1) **Design-Technical (Volume I).** This information shall be submitted in separate three-ring binders labeled "Design-Technical Information - Volume I." This category consists of design documents, drawings, calculations, specifications, design analysis, catalog cuts, and other information. Design Technical materials shall also include a spreadsheet or tabular listing of the Evaluation Factors for Technical Proposals included in Section 0120 and identify where in the proposal materials that specific item is addressed. Provide ten (10) copies of half size drawings (size SI A2 (368mm x 508mm (14-1/2" x 20")) border to border) with a minimum of two full size sets (sizes SI A1 (594mm x 841mm (23-1/2" x 33")); **1 set of color boards**; and ten (10) copies of catalog cuts and other technical data. Half-size drawings shall not be half-size reductions of Size SI A1 full size drawings. The drawings shall be bound.

(AM#9) In addition to items stated above, provide one (1) bound set of drawings that will include the site plan, floor plan and elevations only. No company name or logo is to appear on these drawings. Identify this set of drawings as Volume 1A.

- (2) **Offeror past performance (Volume II).** This information shall be submitted in separate three-ring binders labeled "Offeror Past Performance - Volume II" or may be included in the "Offeror Project Team and Performance Plans" binder required in paragraph (3). Provide original and ten (10) copies.

Amend 0003

- (3) **Offeror project team and performance plans (Volume III).** This information shall be submitted in separate three-ring binders labeled "Offeror Project Team and Performance Plans - Volume III." Provide original and ten (10) copies. A Preliminary Project Schedule is to be submitted in this volume (See paragraph 2.i.(2)(a) of this section).

- (4) **Pro Forma requirements (Volume IV).** This information should be submitted in an envelope labeled "Pro Forma Requirements - Volume IV)" This category consists of:

- (a) Standard Form (SF) 1442, SOLICITATION, OFFER AND AWARD (original and four (4) copies), duly executed with an original signature by an official authorized to bind the company,
- (b) Section 00010, PRICE PROPOSAL SCHEDULE (original and four (4) copies)
 - (i) The price proposal shall not contain any technical information that should be submitted with the technical proposal.
 - (ii) Should the price proposal include any standard company terms and conditions that conflict with the terms and conditions of the solicitation, the proposal may be determined "unacceptable" and thus ineligible for award. Should the offeror have any questions related to specific terms and conditions, these shall be resolved prior to submission of the offer. See Section 00100, "PROJECT INFORMATION," for point of contact.
 - (iii) Proposers are cautioned to check their price proposal carefully for errors prior to submission. If the Bidding Schedule contains unit prices, they shall be extended to the actual amount and not rounded off.
 - (iv) Your proposal must address all items on the Bidding Schedule, otherwise, your offer may be determined to be unacceptable and therefore ineligible for award.
- (c) Price Breakdown of PRICE PROPOSAL SCHEDULE. This information is required for the initial and, if requested, for any revised proposals (original and four (4) copies).

Amend 0003

- (d) The completed Section 00600, REPRESENTATIONS AND CERTIFICATIONS (original and three (3) copies) Representations and Certifications are local, state, and federal representative statements and certifications made by the Offeror concerning a variety of issues. Complete each item in Section 00600, REPRESENTATIONS AND CERTIFICATIONS and submit one original.

- (e) Completed, accurate Bid Bond. (original and one (1) copy) See Section 00700, 52.228-1 BID GUARANTEE,

Amend 0003

- (f) Subcontracting Plan, APPLIES TO LARGE BUSINESS ONLY (original and three copies) Failure to submit an acceptable subcontracting plan may make the offeror ineligible for award of the contract. The submission of the subcontracting plan is in no way advantageous to large businesses over any small business in the evaluation process.
- (i) Reference FAR 52.219-9, SMALL BUSINESS SUBCONTRACTING PLAN. The bidder/offeror shall take into consideration only those subcontracts that he/she will award when preparing the subcontracting plan required by the FAR.

(ii) Subcontracting Plan Floors. These are the minimum percentages of subcontracted dollars that will be approved. The current floors for Fiscal Year 2001 are as follows:

<u>Small Business</u>	<u>61.4%</u>
<u>Small Disadvantaged Business</u>	<u>9.1%</u>
<u>Women-Owned Small Business</u>	<u>5.0%</u>
<u>Veteran-Owned Small Business</u>	<u>3.0%</u>
<u>Historically Black Colleges/Universities and</u>	<u>2.0%</u>
<u>Minority Institutions</u>	
<u>HUBZone Small Business</u>	<u>0.5%</u>

Amend 0003

- (g) Small disadvantaged Business Utilization Plan (original and three (3) copies)

SMALL DISADVANTAGED BUSINESS (SDB) UTILIZATION PLAN (APPLIES TO ALL OFFERORS) Offerors shall submit a SDB Utilization Plan, to include the following information:

- Identification of each SDB concern proposed and the work each is to perform. (See NOTE below regarding SDB certification.)
- Targets expressed in dollars and percentages representing each SDB concern's participation of the total contract value.
- Total target value of all SDB participation, expressed in dollars and percentages, of the total contract values.

The offeror is put on notice that that any targets represented in a submitted proposal will be incorporated into and become part of any resulting contract.

NOTE: All proposed SDB concerns must be SBA-certified in PRO-Net. SDB concerns can register in PRO-Net on the Internet at the following address: <http://pronet.sba.gov>.

- (h) Acknowledgment of all amendments to the solicitation in accordance with the instructions on the Standard Form 30 (amendment form).

Amend 0003

- (i) Paragraph (5) Project Completion Time changed to "Preliminary Project Schedule" and moved to paragraph 2. i. (2) (a) of this Section.

Amend 0003

- (5) Not Used.

(6) **The proposals shall contain a detailed table of contents.** If more than one binder is used, the complete table of contents shall be included in each. Any materials submitted but not required by this solicitation, (such as company brochures), shall be relegated to appendices.

g. **Required Technical Data for Proposal Submission.** The following technical data shall be submitted as part of the formal proposal. Proposals shall include graphic description of the design included in the basic proposal clearly indicated as such. **All alternate designs shall be graphically described on separate drawings from the basic proposal.** Offerors are advised that the required data listed below will be utilized for technical review and evaluation and used for determination of a "Quality Rating" by a Technical Evaluation Team. Materials indicated in the design/construction criteria, but not indicated in the offeror's specifications, will be assumed to be included and a part of the proposal.

- (1) **Design drawings.** Provide an index of drawings. If required drawings are common for more than one type of building or dwelling unit, indicate so on the drawing. Do not provide foundation plans or structural, civil, plumbing, mechanical, or electrical details. The proposal design drawings shall provide the information as indicated in the following tables:

Drawing Type / Scale	Show This Information
Area Site Development Plan 1:1000 [1"=80'] Note ^{1,2}	Spatial and functional arrangement of all family housing requirements Adjacent land uses and historical or environmental conditions Project Boundaries Existing Contours Proposed contours at 1 m intervals [3']. Drainage and water retention ponds (if utilized) Vehicular and pedestrian circulation Housing types to include patios and fencing Children's outdoor play areas
Typical Cluster Plans 1:500 [1"=40'] Note ^{1,2}	Solar orientation of each housing unit or cluster Vehicular and pedestrian circulation Spacing between housing units Utilities and utility entrance into housing unit walls Children's play lots
Demolition Plan 1:500 [1"=40']	All site amenities, structures, or features to be removed or retained.
Site Plan 1:500 [1"=40']	Layout for all site requirements. Show "Use Zones" in children's outdoor play areas.
Typical Landscape Planting Plans 1:250 [1"=20']	Botanical/Common Names of plants used, size, and quantity of trees, shrubs, ground covers, related notes, and planting details.
Utility Plan 1:500 [1"=80']	All site utility requirements. Site lighting. Primary cable routing (new and existing). Pad-mounted transformers and service laterals. Cable television and telephone routing.
Off-Site Electrical Plan 1:5000 [1"=400'] Scale as required (If applicable)	Location of primary supply point of take-off. Existing electrical lines, both overhead and underground, properly identified. New construction tie-in to on-site electrical distribution system.

Note¹: Drawings shall be dimensioned to show building separations, set back, etc.

Note²: Metric Scales are preferred, however, inch pound scales may continue to be used if they enhance competition.

HOUSING UNIT DESIGN

Drawing Type / Scale	Show This Information
----------------------	-----------------------

HOUSING UNIT DESIGN

Drawing Type / Scale	Show This Information
Floor Plans 1:50 [1/4" = 1'-0"] (For each dwelling unit type)	Overall dimensions. Room description with dimensions and areas. Appliances (including occupant-owned washer and dryer). Plumbing fixtures and vanities. Kitchen layout. Door swings. Garage features. Patio. Exterior bulk storage. Service (trash) area. Furnace and hot water heater location. Calculated gross and net floor areas.
Typical Exterior Elevations 1:50 [1/4"=1'-0"]	Show all sides.
Typical Interior Elevations 1:50 [1/4"=1'-0"]	Kitchens and bathrooms.
Transverse and Longitudinal Sections 1:50 [1/4"=1'-0"]	Typical structural system. Building materials. Finishes. Vertical dimensions.
Typical Wall Sections 1:20 [3/4"=1'-0"]	Typical wall, foundation, floor, and roof section. Materials. Cavity wall. Party wall. Wall fire and STC ratings
Details Scale as required.	Special Features
Finish Schedule	All rooms.

Note: Metric Scales are preferred, however, inch pound scales may continue to be used if they enhance competition.

UNIT ENGINEERING

Drawing Type / Scale	Show This Information
Mechanical Floor Plan 1:50 [1/4"=1'-0"] Note: This information may be shown on the unit electrical plans if it can be shown clearly.	HVAC system layout. Flues. Plumbing vents. Hot water heater. Equipment Efficiencies Active Ventilation System Other Energy Conservation Features Included in the Proposal
Electrical Floor Plan 1:50 [1/4"=1'-0"]	Lighting fixture locations, properly labeled to show type of fixture. Fixture schedule which indicates general fixture description, number and type of lamps, type of mounting, and any special features. Switch locations. Convenience outlet locations. Smoke detector locations. Telephone outlet locations. Cable TV outlet locations, Carbon Monoxide Detector locations. Location of motors or special mechanical equipment. Location of unit load center panelboards. Location of multi-unit service equipment and building service. Multi-unit electrical riser diagram. Electrical legend and notes. Room names.

Note: Metric Scales are preferred, however, inch pound scales may continue to be used if they enhance competition.

(2) **Specifications.** Complete Attachment No. 2, Outline Specification, indicating the quality of materials, construction, finishes, fixtures, and equipment for the applicable items. Special attention should be given to the identification and specification of energy conservation features included in the proposal, particularly those which exceed the minimum requirements of the Statement of Work. Submit as part of the Design-Technical Information.

(3) **Equipment Schedule.** Equipment schedule shall indicate type of equipment, size or capacities, manufacturer, and model number. Furnish manufacturer's catalog data on equipment and fixtures for all features of the housing unit, this shall include appliances, electrical equipment and lighting, mechanical heating and cooling equipment, domestic water system equipment, as well as catalog information on the finishes and architectural specialties and exterior finish materials. Originals of manufacturer's catalog should be submitted in lieu of reproduces to ensure legible data. Submit as part of the Design-Technical Information.

(4) **Color Boards.** Coordinated interior and exterior color schemes. Three schemes are required. For proposal evaluation provide **one set** of each scheme complete with samples and/or chips of the colors, materials, textures, and finishes.

(5) **Calculations Required for Certification.** Net area and other calculations are required for certifications to assure that designs fall between the minimum and maximum net area limitations indicated in the statement of work. Net area is also a factor evaluated for technical quality. Other calculations are also required in the statement of work. Use the format provided in Attachment 3, Format for Required Calculations. Submit as part of the Design-Technical Information.

(6) **Evaluation Factors/Proposal Contents Listing.** A spreadsheet or table consisting of all the evaluation categories and sub-categories listed in Section 0120 for technical proposal evaluation and

specific reference to where in the proposal documents those requirements are addressed or indicated. Submit as part of the Design-Technical Information.

h. **Offeror past performance.** Complete Attachment No. 4, Proposal Data Sheet. Offeror's past performance will be evaluated as part of this one-step competitive negotiation procurement process. Offerors shall submit the following as part of their proposals.

(1) **Project examples.** Provide examples (at least three) of projects for which the offeror has been responsible. The examples should be as similar as possible to this solicitation in project type and scope. Provide references (with contact names and telephone numbers) for all examples cited. Each example shall indicate the general character, scope, location, cost, and date of completion of the project. If the offeror represents the combining of two or more companies for the purpose of this RFP, each company shall list project examples.

i. **Offeror project team and performance plans.** Complete Attachment No. 4, Proposal Data Sheet. Offeror's proposed project team and performance plans will be evaluated as part of this one-step competitive negotiation procurement process. Offerors shall submit the following as part of their proposals.

(1) **Personnel.** Provide the names, resumes, and levels of responsibility of the principal managers and technical personnel who will be directly responsible for the day-to-day design and construction activities. Include, as a minimum, the project manager; the project architect; the engineers responsible for civil, electrical, mechanical and structural design; the quality control manager; and the construction manager. Indicate whether each individual has had a significant part in any of the project examples cited. If reassignment of personnel is considered possible, provide the names and resumes of the alternative professionals in each assignment.

Amend 0003

(2) **Management Plan.** The offeror shall provide a Management Plan. This is an overall plan showing how the offeror will control the job. The term "management plan" is defined as a plan that includes the following subplans: Quality Control Plan; Design Schedule; Construction Schedule; and Contract Closeout Plan. As part of its Management Plan, the offeror shall submit a Design Schedule and Construction Schedule for all phases of the project. The offeror shall also submit a rationale explaining how the schedules will be achieved. The schedule for construction shall be task oriented, indicating dates by which milestones are to be achieved. ~~The offeror may use a critical path or other method of his/her choice; however,~~ **The schedules shall be graphically represented.** A Closeout Plan shall be furnished in a brief structured time scale schedule reflecting the planned activities during the final 90 days of the housing construction activity. Items to be included are as follows:

CLOSEOUT PLAN

Testing of equipment and systems with schedules and reports.
Equipment instruction and training schedules.
O&M Manuals transfer.
As-built drawings transfer.
Transfer procedures and schedules.
Pre-final inspection procedures and correction of deficiencies.
Warranty data submission and planned implementation.
Cleanup of administrative deficiencies.
Move off site.

Amend 0003

(a) Preliminary Project Schedule. A Preliminary Bar Chart and written narrative shall be submitted with the Preliminary design proposal reflecting the detailed design phase activities and summary level construction activities from Notice to Proceed through final completion. Project Schedule shall conform to Section 01321 PROGRESS SCHEDULE, and may be used for preparation of the Preliminary Schedule required in Section 01320 after award. This shall be submitted in Volume III OFFEROR PROJECT TEAM AND PERFORMANCE PLANS.

The Contractor shall propose the contract durations for Line Item 0015 PROJECT COMPLETION TIME of the PRICE PROPOSAL SCHEDULE, to include the options if awarded. The proposed durations shall not exceed the durations specified in Section 01000, Design and Construction Schedule. The summary diagram and narrative shall support the proposed durations. Upon contract award, the successful offeror's proposed durations shall become the contract durations. It should be noted that the Government will include provisions in the contract for liquidated damages for each calendar day the Contractor exceeds the contract schedule.

(3)**Quality Control Plan.** The Quality Control Plan is part of the Management Plan. The alliance of the project designer and builder on a project such as this naturally removes one commonly used method of quality control; that is, the usual reliance on the owner or the design consultant for monitoring construction quality. Although the Government will provide an on-site representative during construction, offerors are expected to develop a formal program of monitoring to ensure a high level of construction quality. Offerors shall submit Quality Control Plans that respond to the minimum requirements of Technical Specifications Section 01451 (furnished with this RFP package) entitled "Contractor Quality Control Design/Build." The offeror's program shall have the following characteristics:

CONTRACTOR QUALITY CONTROL REQUIREMENTS

A clear identification of the personnel responsible for quality control and a clear policy establishing their authority. The quality control group shall be separate and apart from (not the same) the people that are doing the construction. This quality control group shall report to the Contractor's management at a level no lower than a vice president of the company.
A specific description of the tasks and functions of the quality control personnel.
A specific policy establishing schedules for the performance of quality control tasks.
A policy for reporting quality control findings to the Contracting Officer.
A procedure whereby the Contracting Officer may resolve disputes that have not received satisfactory responses from the first levels of quality control personnel.
The names of testing laboratories to be used and the procedures for test data reporting.
A plan for material storage and protection.

- j. Nonresponsive proposals. Failure to submit all the data indicated in this section may be cause for determining a proposal nonresponsive and, therefore, not considered for technical evaluation or award.

(End of Section 00110)

SECTION 00120
EVALUATION FACTORS FOR AWARD

1. DESIGN-BUILD PROCUREMENT PROCESS

- a. **Competitive Negotiations.** In this solicitation and proposal, the Government will procure family housing units through Competitive Negotiation procedures. When a contract is awarded it will be a "Firm-Fixed Price Contract" for both design and construction.
- b. **Differences in the Process.** The Competitive Negotiation procurement process differs from conventional design, bid, and build procedures in three distinct respects:
 - (1) The design and construction phases are both the responsibility of the selected design-build Contractor.
 - (2) The selection of the design-build Contractor is based upon the technical and quality merits of his or her proposal. **SELECTION IS NOT BASED SOLELY ON PRICE.**
 - (3) negotiations, if required, will be conducted with all offerors in the competitive range. Negotiations will be conducted privately and will not involve or allude to the proposals submitted by other offerors.
- c. **Procedures.** The procedures for this Competitive Negotiation are as follows:
 - (1) The Government solicits design and technical proposals for the subject project through a Request for Proposal (RFP). The document you are reading is the RFP.
 - (2) Offerors submit design, technical, and price proposals to the Government in accordance with the requirements of the RFP.
 - (3) The Government evaluates each proposal individually and independently, first for conformance to the minimum requirements expressed in the RFP. Those proposals that do not meet the minimum level required by the RFP may be disqualified at this point. The remaining proposals are then further evaluated for technical quality and other salient features that meet or exceed the minimum RFP requirements. The Government evaluates each proposal according to both quality and price. **EVALUATION CRITERIA FOR TECHNICAL PROPOSALS** are covered at the end of this section.
 - (4) Should it become necessary, the Government may conduct negotiations (discussions) with offerors whose proposals fall within a competitive range.
 - (5) The Government awards a contract to the responsible offeror whose proposal is most advantageous to the Government, price or cost, technical and other factors considered, as described in Section 00120, paragraph 3, **BASIS OF AWARD**.

2. EVALUATION PROCEDURES

The Government will select the most advantageous offer which presents the best value to the Government based on technical merit, cost, and other pertinent factors as described in Section 00120, paragraph 3, **BASIS OF AWARD**. The evaluation process used to determine the most advantageous offer is as follows:

- a. **Phase I.** Phase I of the process will be the evaluation of all technical proposals. Cost or Price data will not be considered during this phase. The criteria for technical evaluation are set forth elsewhere in this section and will be the sole basis for determining the technical acceptability of proposals. The culmination of the initial

technical evaluation will be a classification of each technical proposal as "acceptable", or "unacceptable." Technical proposals that would require extensive changes and/or revisions, in order to be made acceptable will be determined to be unacceptable, and thus ineligible for further consideration for award.

Amend 0003

b. Phase II. Phase II will be the evaluation of:

- (1) Standard Form 1442
- (2) Price Proposals
- (3) Price Breakdown of PRICE PROPOSAL SCHEDULE
- (4) Representations & Certifications, Section 00600
- (5) Proposal (Bid) Bond
- (6) Subcontracting Plan (Large Business Only) The subcontracting plan will be reviewed for compliance and scored in accordance with AFARS 19.7, Appendix CC. Failure to submit an acceptable subcontracting plan may make the offeror ineligible for award of the contract.
- (7) Small Disadvantaged Business Utilization Plan.

- c. **Phase III.** If it is determined not to be in the Government's best interest to award on the basis of initial offers, Phase III of the evaluation process will be the determination of the competitive range by the Contracting Officer for the purpose of holding discussions. The competitive range determination will include consideration of technical merit and the associated cost of all of the most highly rated proposals, unless the range is further reduced for purposes of efficiency pursuant to 52.215-1(f)(4).

Amend 0003

- d. **Phase IV.** Phase IV will be the conducting of discussions, written or oral, with all offerors in the competitive range. The competitive range may be revised to reflect changes in the proposals resulting from the discussions. All offerors remaining in the competitive range will be informed of the closing date of discussions. This date will be common to all offerors and will be the date that final proposal revisions are to be submitted to the Government.
- e. **Phase V.** After evaluation of any changes to the technical or cost or price proposals resulting from the revised offers, Phase V will be the selection of the most advantageous offer. The award decision will not be made on the basis of technical score alone. The selection will be made on the basis of the responsible offer which conforms substantially to the RFP and represents the best or greatest value to the Government based on both technical merit and cost.

3. BASIS FOR AWARD

Amend 0003

- a. Initially both technical proposals and cost or price proposals will be evaluated separately. Technical evaluation will be based solely on the technical evaluation criteria specified in this solicitation. In accordance with AFARS 15.305, cost or price will be evaluated but will not be point-scored or otherwise combined with other aspects of the proposal evaluation.
- b. After the technical and price proposals have been evaluated, award will be made to the offer determined to be the most advantageous to the Government which may or may not be the lowest priced offer but which is sufficiently more advantageous than the lowest priced offer so as to justify the payment of a higher price. As technical proposals become more equivalent, cost consideration becomes more significant and may become the determining factor for award. Award decisions will not be made upon the basis of a technical score alone. The decision will be made on the basis of an

assessment of evaluation results as a whole. Any award price must be made on the basis of an assessment of evaluation results as a whole. Any award price must be determined to be fair and reasonable. In the event technical and price become more equivalent for two or more large businesses, the subcontracting plan will become more significant and may become the determining factor for award.

- c. Technical merit and cost or price will be equally weighted.
- d. This solicitation includes the provisions Federal Acquisition Regulation (FAR) 52.215-1, Instructions to Offerors -- Competitive Acquisition. The Government intends to award a contract based upon initial offers received without discussion of such offers. Each offer shall contain the offeror's best terms from a technical and cost or price standpoint. The Government reserves the right to conduct discussions if it is later determined by the Contracting Officer to be necessary. The right is reserved to reject any or all offers.

4. EVALUATION OF PRO FORMA REQUIREMENTS (VOLUME IV)

The Contracting Officer shall consider several factors in the selection process which are important, but not quantified, such as:

- a. Submission of all required forms, duly executed with an original signature by an official authorized to bind the company.

Amend 0003

- (1) Completed Standard Form 1442
- (2) Schedule of Proposed Prices This analysis will be used to determine whether the offeror's cost or price proposal is reasonable, to aid in the determination of the offeror's understanding of the work, and the offeror's ability to perform this contract. Cost or price will be evaluated but will not be scored or otherwise combined with other aspects of the proposal evaluation.
- (3) Price Breakdown of Proposed Prices
- (4) Representations and Certifications
- (5) Proposal Bonds

- b. Agreement by the offeror to all general and special contract provisions and clauses.
- c. Submission of an acceptable Subcontracting Plan in accordance with the terms and conditions of the solicitation. See Section 00120, paragraph 3, BASIS OF AWARD, for subcontracting plan evaluation considerations.
 - (1) In accordance with FAR 52.219-9(h), "Prior compliance of the offeror with other such subcontracting plans under previous contracts will be considered by the Contracting Officer in determining the responsibility of the offeror for award of the contract."

Amend 0003

- (2) Pursuant to AFARS 19-705-4(d), the Subcontracting Plan will be reviewed and scored in accordance with AFARS Appendix CC. Include in the plan a list of Subcontracts by description of type of service or supply. ~~Include a list of Subcontractors by name, address, and business type, i.e., as stated at paragraph (d)(3) of clause 52.219-9.~~

Amend 0003

- d. Small Business Utilization Plan:

In accordance with Defense Federal Acquisition Regulations Supplement (DFARS) 215.304, the extent of participation of small businesses and historically black colleges or universities and minority

institutions in performance of the contract shall be addressed in source selection. Evaluation factors include:

- (a) The extent to which such firms are specifically identified in proposals, i.e., name and address and type of service or supply.
- (b) The extent of commitment to use such firms (for example, enforceable commitment are to weighted more heavily than non-enforceable ones);
- (c) The complexity and variety of the work small firms are to perform;
- (d) The realism of the proposal;
- (e) The extent of participation of such firms in terms of the value of the total acquisition.

Amend 0003

5. PRELIMINARY PROJECT SCHEDULE See 7. FACTOR IV, Management Plan (2)

~~a. The elements considered under this evaluation deal with the offeror's planning and scheduling of the work (design and construction). Consideration is given to the scheduler's qualifications and experience, the scheduling system to be used, and compatibility of the offeror's scheduling system with the Government's scheduling system. Evaluation will assess the offeror's capability to develop a logical, realistic project schedule and methods for updating the schedule. The offeror's use of the schedule in managing the project will be evaluated.~~

~~b. The schedule and narrative will be evaluated to assess the offeror's understanding of the design-build process, project scope, phasing requirements, milestones and constraints, and critical elements in design and construction. The design and construction periods offered, the proposed contract durations, and the overall project schedule will be evaluated for realism and for benefits they provide to the Government.~~

6. EVALUATION OF TECHNICAL PROPOSAL (VOLUMES I, II & III)

- a. Technical proposals received in response to this request for proposal (RFP) will be evaluated utilizing a point system to select the proposal that is most advantageous to the Government. To be considered responsive each offeror shall specifically address each of the evaluation factors set forth in this section. Sufficient detail shall be provided citing specific data as may be required, such that proposal may be evaluated. The proposal must show clearly that the offeror has an understanding of the work required.
- b. Technical proposals must be submitted so as to be fully and clearly acceptable without additional explanation or information, since the Government reserves the right to make a final determination as to whether a proposal is acceptable or unacceptable solely on the basis of the proposal as submitted. However, the Government, may request additional information from offerors on proposals which clarifies or supplements, but does not basically change any proposal as submitted.

7. EVALUATION CRITERIA FOR TECHNICAL PROPOSALS (VOLUMES I, II, & III)

The major factors of consideration in the technical evaluation of family housing proposals are as follows:

FACTOR 1 HOUSING UNIT DESIGN: This factor is the most important factor representing approximately one-third (1/3) of the total value of the six factors.

FACTOR 2 HOUSING UNIT ENGINEERING: This factor is the second most important factor and is given approximately 75% of the weight of Factor 1 in the evaluation.

FACTOR 3 SITE DESIGN: This factor is the third most important factor and is given approximately 50% of the weight of Factor 1 in the evaluation.

Factors 4, 5 and 6 are equal and when combined are given approximately 25% of the weight of Factor 1 in the evaluation:

Amend 0001

FACTOR 4 SITE ENGINEERING: This factor is the fourth most important factor and is approximately equal to Factors 5 and 6 in the evaluation.

FACTOR 5 OFFEROR PAST PERFORMANCE: This factor is approximately equal in weight to Factors 4 and 6 in the evaluation.

FACTOR 6 OFFEROR PROJECT TEAM AND PERFORMANCE PLANS: This factor is approximately equal in weight to Factors 4 and 5 in the evaluation.

FACTOR I: HOUSING UNIT DESIGN. Housing unit design includes the function and appearance of housing unit materials, exclusive of the purely technical performance of internal engineering systems. The subfactors and elements considered herein deal with the planning and design of the housing units, as well as the durability and thermal performance of the materials. Consideration will be given to: the interaction of the individual housing unit to people; the degree to which the unit blends with those outdoor features of living normally associated with the family; the overall esthetics of the housing unit; and the amenities associated with livability. These latter elements include such items as separation of activities, convenience, logistics, leisure, bathing, food handling, and sleeping. The sub-factors described below will be evaluated in the following order of importance:

Ranking of Sub-Factors

Subfactor **f** is the most important

Subfactor **a** is weighted approximately 66% of the value subfactor **f**.

Subfactors **c** and **g** are each weighted slightly less than 50% of the value subfactor **f**

Subfactors **b**, **d**, and **e** are each weighted approximately 66% of the value of subfactors **c** and **g**

Subfactors **h**, **j**, **l**, **m**, **n** are each weighted approximately 50% of the value of subfactors **c** and **g**

Subfactors **i**, **k**, **o**, **p**, **q** are each weighted approximately 33% of the value of subfactors **c** and **g**

a. HOUSING UNIT TYPE

The mix of housing unit types will be evaluated on the basis of a formula which assigns each type of housing unit a point value. The relative weight of housing unit types are in listed in descending order of preference: single family detached, duplexes, townhouses, and apartments. Single-family detached units receive the most points and apartments receive the least amount of points. The number of each type of housing unit is then multiplied by the point value for that housing type. The sum of these values is then divided by the total number of housing units to arrive at an average score for the proposal.

b. NET FLOOR AREA

Net floor area will be evaluated in the following manner: Proposals which meet the basic net area required are assigned a minimum number of points. Points are added for proposals which include areas in excess of the basic net area, but do not exceed the stated maximum areas. Deductions to the points awarded are made for proposals which include units at less than the basic net area, but which do not fall below the stated minimums. Proposals which include units which do not achieve the stated minimum areas will be considered non-conforming.

c. EXTERIOR APPEARANCE The following items will be considered:

- (1) Variety in facades, roof lines, and entrances.
- (2) Interesting staggering of housing units.
- (3) Proportions of fenestration in relation to elevations.
- (4) Visual effects of garages on the housing units.
- (5) Shadow effects, materials, and textures.
- (6) Proportion and scale within the structure.
- (7) Other aesthetic considerations.

d. STORAGE Consideration will be given to the size, location, and utility of all storage areas including shape of space, finish, lighting, and shelving provided.

- (1) Exterior bulk storage.
- (2) Interior bulk storage.
- (3) Closet (linen, coat, clothing).

e. VEHICLE STORAGE Consideration will be given to type of garage proposed, proximity of second parking spaces, and/or covered walkways to the housing units, as well as appropriate treatments with respect to prevailing climatic conditions. This item does not include consideration of space in excess of that required for automobile storage only. Additional space included or integral to garages will be evaluated as storage under the STORAGE sub-element. Aesthetics are considered under EXTERIOR APPEARANCE.

f. FUNCTIONAL ARRANGEMENT The following items will be considered in the evaluation of the unit functional arrangement:

- (1) Does the floor plan of the housing unit provide convenient circulation between living, food handling, sleeping, and bathing areas?
- (2) Does the relationship among the areas enhance flexibility of usage? Consider amenities which enhance the overall interior functions, for example, living, sleeping, food handling, and bathing.
- (3) Is an entrance foyer with a closet and visual separation from living areas provided?
- (4) Is access provided to functional areas without passing through living spaces? Where circulation is adjacent to living spaces without separation, is a minimum circulation path of 900 mm [3 ft] provided exclusive of the minimum room dimensions?
- (5) Is there a balanced relationship in the sizing of these functional areas? Consider the impact of family size on the size and relationship of areas.
- (6) Are the logistics of home operation considered, for example, furnishability, furniture movement, circulation of expendable supplies and disposal?
- (7) Does the plan enhance indoor and outdoor living in relation to patios, screened porches, vistas, yard areas, and climate.
- (8) What other design considerations are provided which enhance the overall livability and amenity of the unit?

g. LIVING, DINING, AND FAMILY AREAS (Furnishability and circulation are evaluated under sub-factor f above.) The following interior design elements which enhance the individual and family group aspects of recreation, leisure, and entertainment such as the following, will be considered:

Amend 0005

- (1) Possibilities for joint use or concurrent separate activities.
- (2) Location of convenience elements, for example, light switching, convenience outlets, and TV outlets.
- (3) Amenities, such as (**Amend 5**) ~~fireplaces and~~ built-in bookcases.
- (4) Living Room
- (5) Dining Area
- (6) Family Room and Secondary Dining Area

h. SLEEPING Consideration will be given to the size and proportions of bedrooms as related to windows, doors, furniture arrangement, and closet access in the area. Access to bedrooms, as well as the relationship to other

functional areas, are treated under FUNCTIONAL ARRANGEMENT. Closet size is addressed under STORAGE. The following design issues will be evaluated:

- (1) Bedroom size. Quality points added for area and/or dimensions in excess of specified minimums.
- (2) Furnishability.
- (3) Visual and acoustic privacy.

i. BATHING The technical portion of the RFP sets forth the minimum size of full baths, as well as the required and/or desirable fixtures, furnishings, and finishes of the bathrooms. Beyond these design requirements, amenities gained through additional net area, furnishings, layout, and privacy will be considered, including:

- (1) Number and size.
- (2) Furnishings (e.g., vanities with or without cabinets, other storage, and heat lamps).
- (3) Layout (convenience and attractiveness).
- (4) Visual and acoustic privacy.

j. KITCHEN AND FOOD HANDLING The kitchen is the focal point of activity for the homemaker. Considerable initiative and innovative approaches to the design of the area can be achieved by the offeror to enhance this major logistics and control area. Its relationship to living, dining ingress and egress, and sleeping has been addressed in FUNCTIONAL ARRANGEMENT. Consider the following design issues:

- (1) Efficiency of food preparation triangle including the circulation of persons and materials.
- (2) Pedestrian and product circulation (controlled basically by relationship of counter space to major appliances).
- (3) Size and layout of cabinetry and counter areas. (Add points for area above the minimum requirements.)
- (4) Outlet number and placement.
- (5) Provision of a space with electrical outlet for an occupant-owned freezer.
- (6) Visual privacy.

k. UTILITY AND WORK AREAS This sub-element provides for occupant-owned or Government-furnished washers and dryers in an area of the housing unit which provides for efficient product circulation and yet does not infringe on other functions. The occupant owned freezer may also be housed in this area. This sub-element evaluates utility and work space above the minimum requirement, an enclosed washer/dryer space. The overall goal is to provide a space for the washer/dryer, freezer, ironing, and hobbies. Overall functional layout, as it relates to other areas, should be considered under FUNCTIONAL ARRANGEMENT. The following concerns will be evaluated:

- (1) Does the area provide efficient work space and work flow without infringing on other functions?
- (2) Is the area suitable for ironing and/or light hobby work?
- (3) Is the location and layout well designed to accommodate mechanical equipment?
- (4) Size and layout.
- (5) Provision of shelving, storage, lighting, and convenience outlets.
- (6) Location of mechanical equipment with respect to access, convenience, and noise.

l. EXTERIOR FINISHES This sub-element evaluates the aesthetics, maintainability, and quality of windows, doors, siding, roofing, soffits, fascia and trim, and exterior painting and stains here. **Proposers are encouraged to review the materials and constructions submitted carefully with respect to Sustainable Design Considerations as listed in the Statement of Work.** Particular attention should be paid to finishes which require the minimum amounts of cyclical maintenance.

m. THERMAL ENVELOPE This sub-element evaluates the thermal performance of the following house elements: walls, roof and ceiling, floors and perimeters, windows and glazing, doors, and tightness (reduction of infiltration). The integrity of the thermal envelope is a prime consideration in complying with "Energy Star" program requirements. Proposals which do not comply with the stated minimums will be considered as non-conforming and may be eliminated from further consideration.

n. INTERIOR FINISHES The quality, durability, maintainability, and aesthetics for each of the following will be evaluated:

- (1) Walls and ceilings.
- (2) Flooring.
- (3) Shelving, wainscots and moldings.
- (4) Kitchen and Bath cabinets and tops. Also consider quantity.
- (a) Factory pre-finished laminated (natural wood) is preferred for cabinets.
- (b) Laminated plastic with integrally molded backsplash and nosing is preferred for countertops.

o. COLOR SCHEMES This sub-element considers the aesthetics and coordination of interior and exterior finish designs.

p. PATIOS, SERVICE YARDS, AND FENCING Size, quality of materials, arrangement, and visual appearance of these supporting amenities will be evaluated here.

q. AMENITIES This area evaluates desirable features or amenities not required in the SOW (e.g., patio roofs, screened porches, built-in features, bus shelters, or other amenities).

FACTOR II: HOUSING UNIT ENGINEERING. In addition to system design, each subfactor evaluates the choice of materials for the systems in terms of life cycle cost effectiveness. Since these new housing units will be “Energy Star” Homes, proposals must include information required to allow the evaluators to determine compliance with the minimum requirements of the solicitation with respect to Energy Conservation. Proposers are encouraged to adopt and/or develop additional means and methods to enhance the performance of the submitted units. Considerations such as durability, corrosion resistance, pest and termite resistance, ease of maintenance, life cycle cost of maintenance, and energy efficiency should be included within the following sub-factors:

Ranking of Sub-Factors

Sub-Factor **d.** is the most important factor and represents 29% of the total points available in this factor.

Sub-Factors **b** and **c** are each weighted approximately 80% of the value of sub-factor **d.**

Sub-Factor **a** is approximately 62% of the value of sub-factor **d.**

Sub-Factor **e** is least important at 22% of sub-factor **d.**

a. INTERIOR PLUMBING SYSTEM This element considers piping systems design quality, fixture quality, and water heater size and recovery.

- (1) Piping zoning, layout, and isolation
- (2) Piping size and material quality
- (3) Fixtures and accessories. Evaluate quality and water usage.
- (4) Water heater size and recovery. Evaluate quality of water heater with respect to energy conservation. Consideration should be given to power ventilated water heaters as well as sealed combustion water heaters.

b. INTERIOR ELECTRICAL SYSTEM This element considers wiring, switching, and panel design (e.g., panel size, number of circuits, provision of spares). Quality points are also given for provision of fixtures, outlets, and switching in excess of minimum requirements.

- (1) System design.
- (2) Outlet and switch placement and quality.
- (3) Fixture quality. Evaluate both aesthetics and energy conservation qualities.
- (4) Electrical equipment quality.

c. HEATING, VENTILATION, AND AIR CONDITIONING This element considers the quality of heating, ventilating, air conditioning, control systems, and associated equipment design to provide personal comfort in a life cycle cost effective manner.

- (1) System design: Supply air distribution
- (2) System design: Return air
- (3) Kitchen exhaust systems
- (4) Air Handling/Furnace system. Consider equipment efficiencies, features, and maintainability.
- (5) Condensing unit . Consider equipment efficiencies, features, and maintainability.

d. ENERGY STAR PROGRAM CONSIDERATIONS. This element considers the quality of the energy conservation investments which the proposer has included in the unit design. While the solicitation sets minimum standards for compliance, this element considers the overall quality of the housing unit systems and can provide additional consideration for systems which exceed the stated minimums.

- (1) Residential Appliances. Consider energy star labeled refrigerator and dishwasher and other appliance upgrades with respect to energy conservation.
- (2) Ductwork Systems. The design and general layout of the systems are evaluated in subfactor c above. This item represents efforts and procedures outlined in the proposal with respect to duct sealing and leakage reduction.
- (3) Infiltration Reduction Systems. This item considers measures proposed which exceed the minimum requirements set forth in the solicitation.

e. STRUCTURAL SYSTEM This element considers the quality of the foundation and framing system design.

FACTOR III: SITE DESIGN. Site design includes overall planning, layout, design and development of the housing site(s), exclusive of utility systems. It embraces consideration of community appearance, compatibility of grounds and buildings, functionality, dignity, and livability. Generally excluded are considerations relative to the quality of materials, which are evaluated elsewhere. Elements making up this factor are itemized below:

Ranking of Sub-Factors:

Sub-factor **a** is most important with 55% of the total points available in this Factor.

Sub-factor **b** and **f** are each weighted approximately 20% of the value of sub-factor **a**.

Sub-factor **c**, **d**, and **e** are each weighted approximately 14% of the value of sub-factor **a**.

a. SITE UTILIZATION AND DEVELOPMENT The project density in housing units per hectare [acre] is pre-established by the project scope and the composition (number of units and number of bedrooms) in relation to total area prescribed for development. Within this pre-established parameter, elements of site design to be evaluated include:

- (1) Family Housing Area Development Concept
- (2) Clustering. Grouping of structures to provide good accessibility to and from streets, parking areas, and usable attractive open areas.
- (3) Building Solar Orientation and Variation of Structure Setback and Appearance. Achieving a desirable orientation of the majority of buildings with respect to solar gain, prevailing breezes and views, taking into account topography and climatic conditions in the area. Also consider unit setbacks, the relationship between units, and the relationship of units to the surrounding structural and existing landscape elements (e.g., trees, screens). A variation of the number and type of housing units shall be provided to produce a variety of exterior appearances.
- (4) Buffering, Open Space, and Separation Between Structures. Consider separation of buildings from heavy traffic lanes and surrounding land uses not compatible with a resident development. Consider open space other than major recreation fields and play lots provided by the proposed layout. Evaluate adequacy of spacing between units to ensure sound, light, and individual and group privacy.

b. VEHICULAR CIRCULATION This sub-factor evaluates the capability of primary, secondary, and feeder streets to provide access to the units, community facilities, and service access to the units. The factor also evaluates vehicular and pedestrian safety. Considerations include the following:

- (1) Access.
 - (a) Is there convenient and direct access to and from and between each structure and/or cluster, and to community facilities?
 - (b) Is the new street system a logical extension of the adjacent community?
 - (c) Does the primary, secondary, and feeder street system minimize traffic conflict points, minimize the number of turning movements at intersections, and maximize spacing of intersections?

- (2) Service.
 - (a) Can service vehicles (maintenance, trash, moving vans and emergency) circulate efficiently in the development?
 - (b) Can delivery service trucks and moving vans gain access to and park in proximity to the housing units?
 - (c) Can fire trucks and ambulances gain immediate and direct access to each housing unit?

c. PARKING This sub-factor evaluates the proximity of parking to housing units and the layout of parking spaces. Considerations include the following:

- (1) Proximity to Housing Units. Preferences are defined in descending order:
 - (a) Two spaces per housing unit adjacent to (within 7600 mm [25 ft]) the garage.
 - (b) One or two spaces adjacent to (within 7600 mm [25 ft]) the garage. Other spaces within 15200 mm [50 ft] of the housing units.
 - (c) Parking areas within 15200 mm [50 ft] of the housing units.
 - (d) Parking areas over 15200 mm [50 ft] from the housing units.
- (2) Layout of Parking Areas. Evaluate in terms of:
 - (a) Internal circulation.
 - (b) Minimizing conflicts between cars entering and leaving the parking areas.
 - (c) Elimination of the necessity for backing into primary streets.
 - (d) Separation of parking area entrances and exits from street intersections.

d. PEDESTRIAN CIRCULATION This sub-factor evaluates the way in which the walkway system supports the movement of pedestrians from one location to another. If the overall street pattern does not make sidewalks functionally compatible with the sub-elements of a good pedestrian circulation system listed below, then the ratings assigned must reflect this functional inadequacy. Considerations include the following:

- (1) Individual Units: Building Parking and Refuse Disposal
 - (a) Does the walkway system provide short direct access routes to the fronts of all housing units within a cluster and to adjacent clusters?
 - (b) Are parking areas connected to the structures they serve by walkways?
 - (c) Can all parts of the parking areas be reached without leaving the pavement?
 - (d) Does the walkway pattern minimize pedestrian traffic within the parking areas?
 - (e) Are walkways provided between housing units and trash containers and beyond that to street pickup points?
- (2) To Play Lots, Neighborhood Park, Bus Stops, and Off Site Recreation Areas, Schools, Community Buildings, etc.
 - (a) Do walkways provide convenient routing to the above functions?
 - (b) Can play lots be reached without crossing primary or secondary streets?
 - (c) Does the walkway system provide a natural and convenient routing to a school within walking distance or to the nearest school bus stop?

e. CHILDREN'S OUTDOOR PLAY AREAS This sub-factor evaluates the quality and quantity of play lots and neighborhood parks. Considerations include the following:

- (1) Neighborhood Parks
 - (a) Have age appropriate play events and equipment been provided for the 5-9 year age group?
 - (b) Have age appropriate play events and equipment been provided for the 9-15 year age group?

(2) Play Lots

- (a) Have age appropriate play events and equipment been provided for the 6 week-5 year age group?
- (b) Have age appropriate play events and equipment been provided for the 5-9 year age group?
- (c) Have the requirements for age appropriate scale been applied to the children's outdoor play areas?
- (d) Have the requirements for use zones under and around play equipment been applied to the children's outdoor play areas?
- (e) Are the use zones shown on the site plan?
- (f) Have the requirements for a playground safety surface been applied to the children's outdoor play areas?
- (g) Have poisonous plants and plants with thorns been avoided or removed from the children's outdoor play areas?

f. LANDSCAPE PLANTING PLAN This sub-factor evaluates the design, quality, quantity, and location of trees, shrubs, plantings, ground covers, and grass used to screen and enhance individual living units and recreation areas. Considerations include screening, decorative planting, and the following:

(1) Screening and Shading

- (a) Have plant material been specified that is hardy to the area?
- (b) Are plantings provided which screen between adjacent housing units, structures, and clusters to enhance privacy of the occupants? Consider number, size, type, and quality of trees and shrubs proposed.
- (c) Are planting clusters provided to discreetly conceal trash container sites and clothes drying areas to the maximum extent possible without interfering with pedestrian and service vehicle access? Consider number, size, type, and quality. (Mandatory if screening fence is not provided.)
- (d) Do trees provide summer solar shading on east, west, and south exposures of children's outdoor play areas?
- (e) Are foundation plantings provided as appropriate to meet low maintenance requirements? Consider number, size, type, and quality.
- (f) Are trees and shrubs used appropriately to define the open spaces?

(2) Street Trees.

- (a) Are street trees provided in accordance with a street tree scheme for the hierarchy of streets in the area? Consider number, size, type, and quality.
- (b) Have street trees been specified that are hardy to the area?

FACTOR IV: SITE ENGINEERING. Site engineering includes the technical performance of site design and exterior utility systems. The quality of the proposed construction materials is also evaluated in each element. Particular emphasis is placed on durability, corrosion resistance, pest and termite resistance, ease of maintenance, and life cycle cost of maintenance requirements. Consideration will be given to the suitability of the chosen material to the environment in which it is to be placed. Evaluation includes consideration of engineering aspects of operation and maintenance. Utility systems are to be evaluated beyond the 1500-m [5-ft] line from the housing units. Elements making up this factor are itemized below:

Ranking of Sub-Factors

Sub-factor **e** is the most important with 38% of the total points available for this factor.

Sub-factors **a, b, c, and d** are equal in weight with each weighted approximately 33% of the value of **e**.

a. WATER SYSTEM Evaluates system design, material quality, and maintainability.

b. FUEL PIPING AND STORAGE Evaluates piping sizes, material quality, layout, accessibility, and cutoff isolation.

c. SANITARY SEWER Evaluates system design, material quality, and maintainability.

d. ELECTRICAL DISTRIBUTION Evaluates system design, material quality, and maintainability.

e. SITE INTEGRATION This sub-factor evaluates grading, drainage, its integration with natural features, and the proposals integration with the surrounding area.

(1) Integration with Surrounding Area. This element evaluates the integration of physical flows and relationships with, and between, the site and surrounding area.

(2) Preservation of Natural Features . This element evaluates the preservation of trees, natural drainage swales, streams, and any other natural and historic features that lend interest and appeal to the community.

(3) Grading This element evaluates the effects of grading on the natural features of the site and the topographic features and character of the surrounding areas and region.

(a) Consider the aesthetic effects of grading.

(b) Does the grading plan enhance and blend with the natural conditions on the site? Does it blend the proposed development into the general topographic character of areas surrounding the site and the region in general?

(4) Drainage Design. This element evaluates the quality and effectiveness of the drainage system design in handling surface runoff. See SOW Paragraph 4.d. for additional requirements.

FACTOR V – OFFEROR PAST PERFORMANCE (Volume II). This factor considers the offeror’s performance on past **similar** projects.

a. PROJECT EXAMPLES

Examples (three are required) of design-build projects for which the offeror has been responsible will be evaluated. These examples should be as similar as possible to this solicitation in project type and scope. References (with contract names and telephone numbers) for all examples are required. Each example shall indicate the general character, scope, location, cost, and date of completion of the project. Contracts with similar Government and/or Non-Government experience within the last five years will also be evaluated. Indicate the contract number and the contracting agency (with contact names and telephone numbers), as well as the Construction Contractor Appraisal Support System (CCASS) performance evaluation. If the offeror represents the combining of two or more companies for the purpose of this RFP, each company is required to list their project examples including Government contract experiences. (See Attachment 4)

FACTOR VI – OFFEROR PROJECT TEAM AND PERFORMANCE PLANS (Volume III). This factor considers the offeror’s proposed design, construction, and management team as well the proposed management plan and quality control plan proposed to accomplish this project. The following sub-items will be evaluated.

Ranking of Subfactors

Sub-factor c is most important with 35% of the total points available for this factor.

Sub-factor a is weighted at 87% of sub-factor c.

Sub-factor b is weighted at 62% of sub-factor c.

a. PERSONNEL

The resumes and levels of responsibility of the principal managers and technical personnel who will be directly responsible for the day-to-day design and construction activities will be evaluated. Information should include, as a minimum, the project manager; the project architect; landscape architect; the engineers responsible for civil, electrical, mechanical and structural design; the quality control manager; and the construction manager. Data should indicate whether each individual has had a significant part in any of the project examples cited. If reassignment of personnel is considered possible, the names and resumes of the alternative professionals for each assignment will be evaluated.

Amend 0003

b. MANAGEMENT PLAN

(1) The offeror's Management Plan, which shall indicate how the offeror will control the job, both design and construction, will be evaluated. The term "management plan" is defined as a plan that includes the following subplans: Quality Control Plan; Design Schedule; Construction Schedule; and Contract Close Out Plan. As part of its Management Plan, the offeror has also submitted a Design Schedule and Construction Schedule for all phases of the project. The offeror has also submitted a rationale explaining how the schedules will be achieved. The schedule for construction should be task oriented, indicating dates by which milestones are to be achieved. ~~The offeror may use a critical path or other method of his or her choice; however,~~ The schedules ~~must~~ shall be graphically represented. A Close Out Plan is also required in a brief structured time scale schedule reflecting the planned activities during the final 90 days of the contract activity.

(2) The schedule and narrative will be evaluated to assess the offeror's understanding of the design-build process, project scope, phasing requirements, milestones and constraints, and critical elements in design and construction. The design and construction periods offered, the proposed contract durations, and the overall project schedule will be evaluated for realism and for benefits they provide to the Government. It is beneficial to the Government for (AM#9) _____ (AM#9) the 140 houses to be completed between 1 March 2003 and 1 May 2003, based on the contractor receiving the NTP on 4 Sep 2001.

c. QUALITY CONTROL PLAN

The offeror's Quality Control Plan will be evaluated. The alliance of the project designer and builder on a project such as this naturally removes one commonly used method of quality control; that is, the usual reliance of the owner or the design consultant for monitoring construction quality. Although the Government will provide an on-site representative during construction, offerors are expected to develop a formal program of monitoring to ensure a high level of design and construction quality.

(End of Section 00120)

SECTION 01000

DESIGN AND CONSTRUCTION SCHEDULE
 01/2000

AMENDMENTS NO. 0002, 0008 AND 0009

PART 1 GENERAL

1.1 SCHEDULE

Commence, prosecute, and complete the work under this contract in accordance with the following schedule and Section 00700 CONTRACT CLAUSES clauses COMMENCEMENT, PROSECUTION AND COMPLETION OF WORK and LIQUIDATED DAMAGES:

Item of Work	Commencement of Work (calendar days)	Completion of Work (calendar days)	Liquidated Damages per calendar day_ _
(1) Completion of all design and construction work for the Base Bid <u>Items 0001 and 0002 (AM#2)</u> except Establishment of Turf and Landscaping	Within 10 calendar days after receipt of Notice of Proceed (AM#9)	<u>543</u>	\$960.00
(2) Completion of all design and construction work for Option No. 1 <u>- Items 0008, 0009, and 0010, (Am#8)</u> except Establishment of Turf and Landscaping	<u>Upon Award of Option 1 (Am#2)</u>	<u>650 Calendar days after receipt of Notice to Proceed (Am#9)</u>	<u>\$925.00 (Am#2)</u>

Item of Work	Commencement of Work (calendar days)	Completion of Work (calendar days)	Liquidated Damages per calendar day_ _ _
--------------	---	---	---

(3) <u>Completion of Hazardous Material Abatement and Demolition Family Housing Units Bid Item 0003, 0004, 0006, 0011, 0012, and 0013</u> (Am#8)	1 Oct 2003 unless otherwise authorized in writing by the ACO	*90 calendar days, Bid Item 0003,0004 and 0006 (Am#8)	\$400.00 (Am#2)
--	---	--	-----------------

* Add 60 Calender days if Option 1 Item 0011, 0012 and 0013 are awarded.(Am#8)
Add 20 Calender days if Option 2 Item 0014, 0015 and 0016 are awarded.(Am#8)

(4) <u>Completion of all work for Option No.3</u> (Am#2)	3 calendar days after completion of Spring School year of 2002 as published by the El Paso Ind. School District(EPISD)	70 cal. days after commencement of work	\$680.00 (Am#2)
--	---	--	-----------------

(5) Establishment of Turf	**	**	---
------------------------------	----	----	-----

(6) Landscaping	***	***	---
-----------------	-----	-----	-----

¹NOTES:

a. The contract duration stated above for Work Items (AM#2) (1) and (2) are the maximum duration until Contract Award. Upon Contract Award, the Contractor's proposed durations as stated on the Price Proposal Schedule shall become the contract duration for each Work

Item. The liquidated damages stated above will be applied for each calendar day the Contractor exceeds the new contract durations.

b. See Section 01015 DESIGN REQUIREMENTS AFTER AWARD, paragraph "SUBMISSION OF CONSTRUCTION DRAWINGS, SPECIFICATIONS, AND DESIGN ANALYSES," concerning submission of construction documents and Section 01000 paragraph, "SEQUENCE OF DESIGN/CONSTRUCTION," concerning start of construction.

(Am#1)

*Establishment of Turf

Planting and maintenance for turfing shall be in accordance with Contractor's Section for TURFING . No payment will be made for establishment of turf until all requirements of the section are adequately performed and accepted, as determined by the Contracting Officer.

**Landscaping

Planting and maintenance for landscaping shall be in accordance with Contractor's Section for LANDSCAPING. No payment will be made for landscaping until all requirements of the section are adequately performed and accepted, as determined by the Contracting Officer.

1.1.1 Testing of Heating and Air-Conditioning Systems

The times stated for completion of this project includes all required testing specified in appropriate specification sections of heating, air conditioning and ventilation systems including HVAC Commissioning. Exception: boiler combustion efficiency test, boiler full load tests, cooling tower performance tests, and refrigeration equipment full load tests, when specified in the applicable specifications, shall be preformed in the appropriate heating/cooling season as determined by the Contracting Officer.

1.2 TIME EXTENSIONS FOR UNUSUALLY SEVERE WEATHER (OCT 1989)
(ER 415-1-15)(52.0001-4038 1/96)

a. This provision specifies the procedure for determination of time extensions for unusually severe weather in accordance with the contract clause entitled "Default: (Fixed Price Construction)." In order for the Contracting Officer to award a time extension under this clause, the following conditions must be satisfied:

(1) The weather experienced at the project site during the contract period must be found to be unusually severe, that is, more severe than the adverse weather anticipated for the project location during any given month.

(2) The unusually severe weather must actually cause a delay to the completion of the project. The delay must be beyond the control and without the fault or negligence of the contractor.

b. The following schedule of monthly anticipated adverse weather delays due to precipitation and temperature is based on National Oceanic and Atmospheric Administration (NOAA) or similar data for the project location and will constitute the base line for monthly weather time evaluations. The contractor's progress schedule must reflect these anticipated adverse weather delays in all weather dependent activities. Wind is not considered in the Monthly Anticipated Adverse Weather Calendar Day Schedule.

MONTHLY ANTICIPATED ADVERSE WEATHER DELAY
WORK DAYS BASED ON (5) DAY WORK WEEK

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	1	1	1	2	1	3	3	2	1	1	2

c. Upon acknowledgment of the Notice to Proceed (NTP) and continuing throughout the contract, the contractor will record on the daily CQC report, the occurrence of adverse weather and resultant impact to normally scheduled work. Actual adverse weather delay days must prevent work on critical activities for 50 percent or more of the contractor's scheduled work day.

The number of actual adverse weather delay days shall include days impacted by actual adverse weather (even if adverse weather occurred in previous month), be calculated chronologically from the first to the last day of each month, and be recorded as full days. If the number of actual adverse weather delay days exceeds the number of days anticipated in paragraph "b", above, the Contracting Officer will convert any qualifying delays to calendar days, giving full consideration for equivalent fair weather work days, and issue a modification in accordance with the contract clause entitled "Default (Fixed Price Construction)."

1.3 DELETED (AM#2)

1.4 WORK RESTRICTIONS

1.4.1 Working Hours

The normal duty working hours are Monday through Friday, 07:00 A.M. to 04:30 P.M.

1.5 UTILITIES

1.5.1 Payment for Utility Services (FAR 36.303(C)(6))

Water, gas, and electricity are available from Government-owned and operated systems and will be charged to the Contractor at rates as provided in Contract Clause 52.236.14 AVAILABILITY AND USE OF UTILITY SERVICES.

1.5.1.1 Meters and Temporary Connections

The Contractor, at its expense and in a manner satisfactory to the

Contracting Officer, shall provide and maintain necessary temporary connections, distribution lines, and meters required to measure the amount of each utility used for the purpose of determining charges. The Contractor shall notify the Contracting Officer, in writing, 5 working days before final electrical connection is desired so that a utilities contract can be established. The Government will make the final hot connection after Government inspection and approval of the Contractor's temporary wiring installation. The Contractor shall not make the final electrical connection.

1.5.1.2 Final Meter Reading

Before completion of the work and final acceptance of the work by the Government, the Contractor shall notify the Contracting Officer, in writing, 5 working days before termination is desired. The Government will take a final meter reading and disconnect service. The Contractor shall then remove all the temporary distribution lines, meters, and associated paraphernalia. The Contractor shall pay all outstanding utility bills before final acceptance of the work by the Government.

1.5.2 Outages

The Contractor shall coordinate all requests for utility outages with the Contracting Officer in writing 21 days prior to date of requested outage:

- a. Water, gas, steam, and sewer outages shall be held to a maximum duration of 4 hours unless otherwise approved in writing.
- b. Electrical outages shall have a maximum duration of 4 hours.
- c. All utility outages shall be scheduled only during weekdays.

1.6 STREET CLOSINGS

The Contractor shall coordinate all requests for street closings with the Contracting Officer in writing 21 days prior to date of requested outage:

- a. One lane traffic shall be maintained at all times (except that a total closing may be allowed for specific 12-hour periods).
- b. The final street repair shall be completed within 14 days after the start of any street crossing. Any part of the street returned to service prior to final repair shall be maintained smooth with hot-mix cold-lay surface course.

1.7 DELETED (AM#2)

1.8 SEQUENCE OF DESIGN/CONSTRUCTION

(a) After receipt of the Contract Notice to Proceed (NTP) the Contractor shall initiate design, comply with all design submission requirements as covered under Division 01 General Requirements, and obtain Government review of each submission. No construction may be started, with

the exception of clearing, until the Government reviews the Final Design submission and determines it satisfactory for purposes of beginning construction. The Acting Contracting Officer (ACO) or Contracting Officer Representative (COR) will notify the Contractor when the design is cleared for construction. The Government will not grant any time extension for any design resubmittal required when, in the opinion of the ACO or COR, the initial submission failed to meet the minimum quality requirements as set forth in the Contract.

(b) If the Government allows the Contractor to proceed with limited construction based on pending minor revisions to the reviewed Final Design submission, no payment will be made for any in-place construction related to the pending revisions until they are completed, resubmitted and are satisfactory to the Government.

(c) No payment will be made for any in-place construction until all required submittals have been made, reviewed and are satisfactory to the Government.

PART 2 PRODUCTS (NOT USED)

PART 3 EXECUTION (NOT USED)

-- End of Section --